



Professional Compact Mono Laser Printer

Quiet, wireless mono business printing

HL-L2865DW



PRINT



5GHz

WIRELESS

www.brother.eu

Professional Compact Mono Laser Printer

All the business features you need, packed into a small and expertly designed printer.

The quiet HL-L2865DW A4 mono laser printer, produces high-quality documents without compromising on speed.

HL-L2865DW



Key features:

- Printing up to 34 pages per minute
- 2-Sided print, up to 16 sides per minute
- 1 Line LCD control panel
- Ethernet, 5GHz WiFi
- Print from PC or mobile app
- 128MB Internal memory
- 250 Sheet paper input tray¹¹
- Comes with 1,500 page yield toner,
- 5,000 page super high yield available⁷
- Available under a managed print service (MPS) contract

Quiet and efficient

With its streamlined design, the HL-L2865DW is engineered to print quietly whilst delivering fast print speeds. So, you can print quickly and continuously without distraction and focus on your business.

Compact and expertly engineered

Ideal for placing under counters or in retail offices, every component has been optimised to reduce the overall size of the device, allowing you to make the most of your working space – all whilst delivering exceptional quality without compromising on performance.



Built to last

The HL-L2865DW is built to last and requires minimal maintenance. It is expertly designed to be robust and durable and can handle the demands of any busy office environment. This, alongside high-yield toners, means your business will be able to print for longer.

Make printing simple with Brother MPS

Managed print services (MPS) supports you to get the best out of your devices. That's why the HL-L2865DW has been designed with MPS in mind.

Whatever your printing needs, we'll be "At your side" to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, with:

- No long-term commitments
- Ink and toner delivery before you run out
- Quick breakdown support
- Easy supplies recycling

Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data.

All our products are secure as standard. With businesses shifting towards Zero Trust environments, we know that security is your highest priority. Our security experts continuously research new enhancements to products, solutions and services to proactively ensure all our products are 'secure by design'.

The HL-L2865DW provides a range of robust features. It uses triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.

The HL-L2865DW comes with a flexible suite of security features and solutions that can be tailored to your business, enabling you to easily audit, control and manage your fleet of devices securely.



Your device protects your business
by reducing its attack surface through:

Restricting privileges at a device level - with Setting Lock, only authorised users are permitted access to settings.

Maintaining device integrity - with runtime intrusion detection, digitally signed and encrypted firmware and end-to-end encrypted connections, devices are always performing at their optimum level of security.





Your network is protected with flexible features and management tools including:

Intrusion protection - with protocol management, interface restrictions and IPV4 filtering, you have the flexibility to adapt device settings to your business.

Secure connection - securely connect to enterprise level wired and wireless networks through industry standard IEEE 802.1X.

Secure encrypted communication - by using flexible industry standards such as TLS, SSH, HTTPS and SNMP3, your business can tailor the device to its network.

Easily manage and configure your security profile - using Device Master Settings and BRAdmin Pro 4 your business can apply settings to entire fleets of devices.



Your documents are protected through encryption, storage protection and secure print solutions including:

Encrypted document transfer - when you send your print data from your computer to the device, IPPS/HTTPS encryption ensures your data is secure and unreadable.

Non-persistent internal memory - all print job data is automatically wiped during a reboot and data is purged, ensuring no information is left on the device.



General	Technology Electrophotographic Laser	Local Interface Hi-Speed USB 2.0	Carton Contents Device, Inbox Toner, Drum, Power Supply Cord, Quick Set-Up Guide, Warranty Card
	Memory 128MB	Wired Network Fast Ethernet	
	Control panel 1 line LCD with keys	Wireless Network 2.4GHz and 5GHz Support	

Print

Print Speed (A4) 1-Sided: 34ppm Mono 2-Sided: 16 sides per minute Mono	Resolution Up to 1200 x 1200dpi	Embedded Barcodes (PCL) 16 bar codes* *Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
FPOT (First Print Out Time) Up to 8.5 Seconds from ready Up to 17.5 Seconds from sleep	Print Languages PCL6	
Quiet Mode A mode to reduce the printing noise	Embedded Fonts (PCL) 73 scalable fonts, 12 bitmap fonts	

Printer Functions

N-up Printing Reduce up to 25 pages into a single page	ID Printing Add identification to your printed documents (date and time, short custom message or PC username)	Manual 2-Sided Print Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)
Poster Printing Enlarge a single page into a poster using 2x2, 3x3, 4x4 or 5x5 pages	Booklet Printing Print documents in A5 booklet format using automatic or manual 2-sided print	Reverse Print Rotate the content of a printed document by 180°
Toner Save Mode Use the Toner Save Mode to reduce toner consumption without affecting print speed	Print Profiles Store your favourite driver settings as profiles to easily recall them	Print Complete Notice A printing notification can be set to go to your computer (Network only)
Watermark Printing Watermark your documents with predefined text, custom logo or custom messages		

Printer Driver

Windows
Windows 11
(32 and 64 bit editions)
and more

macOS
Printing via macOS requires the use of AirPrint. Mac drivers are not provided.

Linux
CUPS, LPD/LPRng
(x86/x64 environment)

ChromeOS
Supports native
ChromeOS printing

PCL Driver
Universal Printer Driver
(Windows)
(PCL5e)

Visit support.brother.com for the full list of supported OS and to download the latest drivers and software.

Paper Handling¹¹

**Paper Input
Standard Tray**
250 Sheets

Manual Feed Slot
1 Sheet

Paper Output
150 Sheets A4

Envelope Printing
Yes from manual feed slot

**Media Sizes
Standard Tray**
A4, Letter, B5(JIS), B5(ISO),
A5, A5(Long Edge), B6(JIS),
A6, Executive, A4 Short,
16K(195x270mm)

Manual Feed Slot
Width 76.2 to 215.9 mm,
Length 127 to 355.6 mm
Envelope; COM-10, DL, C5,
Monarch

Auto 2-Sided
A4

**Media Type and Weights
Standard Tray**
Plain Paper, Thin Paper,
Recycled Paper,
Thick Paper
60-163gsm

Manual Feed Slot
Plain Paper, Thin Paper, Thick
Paper, Thicker Paper, Recycled
Paper, Bond, Label, Envelope,
Env. Thin, Env. Thick
60-230gsm

Auto 2-Sided
Plain Paper, Thin Paper,
Recycled Paper
64-105gsm

Mobile and Web Connectivity

**Brother Mobile Connect¹⁷
(Android)**
Print from and check the machine status from an Android device

**Brother Mobile Connect¹⁷
(iPad / iPhone)**
Print from and check the machine status from an iPad / iPhone

Apple AirPrint¹⁷
Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin¹⁷
Print from an Android devices without a dedicated App.

Mopria™ ¹⁷
Print most common file types from Mopria™ supported Android devices

Fleet Management Tools	Unattended Installer¹⁶ Ability to centrally deploy and customise our drivers and software	BRAdmin^{16,17} LAN/WAN management software	Driver Deployment Wizard^{16,17} Easily create print drivers for hassle free deployment over your network
	MSI Installer¹⁶ Modular installers that can be distributed through On-premise Active Directory	Embedded Web Server Web based print management software embedded onto the device	Status Monitor¹⁶ Monitor the status of your machine from your computer

Software	Brother iPrint&Scan Desktop^{15,17} Print from and check the machine status from Windows or macOS PC	Utilities Provides setup guides, manual, FAQ, troubleshooting and contact to Brother customer service	Easy Setup Simple access to drivers and software for the installation of your Brother machine from support.brother.com Windows/Mac

Connectivity	Wired Network Fast Ethernet (10Base-T/100Base-TX)	Wi-Fi Direct[®] Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)	Mobile Print or scan from your mobile device with Brother Mobile Connect, Airprint, Mopria
	Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)	Wireless Setup Support Wi-Fi Protected Setup (WPS) Wireless Applications Vertical Pairing	Local Interface Hi-Speed USB 2.0

Security Features

Wired Network Security

SMTP-AUTH, SNMP v3,SSL/TLS(SMTP,HTTP,IPP), 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth(SMTP, POP3, IMAP4)

Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES), *WIFI Direct supports WPA2-PSK (AES) only

SMTP-AUTH, SSL/TLS (SMTP, HTTPS, IPP), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth(SMTP, POP3, IMAP4)

IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/PPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print)

IPv6

NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

Automatic Intrusion Detection

All Brother Print devices are secure by design. Devices automatically recognise security attacks and take preventative measures, including rebooting where necessary, to ensure the device remains secure

Firmware Updates

During update firmware is transferred over a trusted HTTPS encrypted connection

Firmware Encryption

During update firmware is transferred over a trusted HTTPS encrypted connection

Digitally-signed Firmware

The firmware for Brother print and scan devices is digitally signed and secure

Certificate Management

Use the default standard self-signed, create a custom self-signed certificate, certificate signing request (CSR), or external public certificate & private key for protected network communication

Port-based Network Access Control

(IEEE 802.1x)
Brother devices are in full compliance with this standard, to allow connection to an 802.1x EAP (Extensible Authentication Protocol) protected network

Restrict network protocols

The Protocol Control feature allows an administrator to restrict communication protocols (e.g. FTP, Telnet) as required

Setting Lock

Secures access to the devices control panel by locking it

Supplies and Consumables	Inbox Toner⁷ 1 x 1,500 pages (BK)	High Yield Toner⁷ TN2510XL - 3,000 pages	Drum Unit DR2510 Approx 15,000 pages at 1 pages per job
	Standard Yield Toner⁷ TN2510 - 1,200 pages	Super High Yield Toner⁷ TN2510XXL - 5,000 pages	
Dimensions and Weights	With Carton (WxDxH) 444 x 449 x 366mm - 9.20kg	Without Carton (WxDxH) 356 x 360 x 183mm - 7.10kg	
Duty Cycle	Recommended Monthly Up to 2,500 pages		
Operating Environment	Power Requirement 220-240V AC 50/60Hz	Operating Environment Humidity 20 - 80 % 10°C - 32.5°C 50°F - 90.5°F	Storage Environment Humidity 35 - 85 % 0°C - 40°C 32°F - 104°F
Environment	Approx Power Consumption^{13,23} Printing: 470W Printing in quiet mode: 270W Ready: 43W Sleep: 3.8W Deep Sleep: 0.5W Power Off: 0.08W	TEC Value 0.37 kWh/week Sound Power¹² Printing: 6.65B(A) Ready: Inaudible Quiet Mode: 6.06B(A) Deep Sleep: Inaudible	Sound Pressure¹² PC Printing (Mono): Approx. 49.0dB(A) Ready: 30.0db(A) Quiet Mode: 44.0db(A) Toner Save This reduces the toner consumption to get more pages from your consumables

HL-L2865DW | Page 10

- 7 Approx. declared yield value in accordance with ISO/IEC 19752
- 11 Capacity calculated with 80gsm paper
- 12 Sound pressure and sound power level in accordance with ISO 7779
- 13 Power consumption power off is measured according to IEC 62301 Edition 2.0
- 15 Windows and macOS only
- 16 Windows only
- 17 Optional download
- 18 Requires an Internet connection
- 23 Power consumption is measured using ENERGY STAR Ver 3.1 test method network configuration



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

brother
at your side